



接头

6mm 管接头-最大压力250bar (25MPa)


43-0000-01
接头, 直型, 6 mm




43-0000-03
接头, 直型, 变径, 8-6 mm




43-0000-04
接头, 弯头, 6 mm




43-0000-08
接头, 十字型, 6 mm




43-0000-06
接头, T型, 6 mm




43-0000-17
T型, 三通, 旋转,
6 mm G1/8 双头螺柱




43-0000-10
连接, 标准,
6 mm-G1/8
双头螺柱




43-0000-11
连接, 标准,
8 mm-G1/8
双头螺柱



43-0000-13
弯头, 旋转,
6 mm-G1/8 双头螺柱



43-0000-15
T型, 分流, 旋转,
6 mm-G1/8 双头螺柱




ILMV430040 REV A




8mm 管接头-最大压力350bar (35MPa)


43-0000-02
接头, 直型, 8 mm




43-0000-05
接头, 弯头, 8 mm




43-0000-07
接头, T型, 8 mm



43-0000-16
T型, 分流, 旋转,
8 mm-G1/4 双头螺柱




43-0000-09
接头, 十字型, 8 mm




H-2


43-0000-12
连接, 标准,
8 mm-G1/4 双头螺柱



43-0000-14
弯头, 旋转,
8 mm-G1/4 双头螺柱



43-0000-18
T字型, 三通, 旋转,
8 mm-G1/4 双头螺柱




ILMV430041 REV B


接头

转换接头、延长接头、堵头和密封圈


43-0000-19
转换接头, 变径,
外丝 G1/8-内丝 G1/4



43-0000-20
转换接头,
外丝 G1/4-
内丝 1/4 NPT




43-0000-21
延长型, 外丝 G1/4-
内丝 G1/4×35 mm




43-0000-22
延长型, 外丝 G1/4-
内丝 G1/4×59 mm




43-0000-23
转换接头,
外丝 SAE 4-
内丝 G1/8




43-0000-24
转换接头,
外丝 SAE 6-
内丝 G1/4




30-8782-44
外丝 G1/8 -
内丝 SAE 4




30-8782-64
外丝 G1/4 -
内丝 SAE 4



43-0000-25
螺母, 管式,
6 mm



43-0000-26
螺母, 管式,
8 mm




43-0000-27
卡套, 切削,
6 mm




43-0000-28
卡套, 切削,
8 mm



43-0680-04
堵头,
G1/8




43-0680-06
堵头,
G1/4




43-0000-31
密封圈, 弹性,
G1/8




43-0000-32
密封圈, 弹性,
G1/4




43-0000-29
卡套,
管式, 6 mm




43-0000-30
卡套,
管式, 8 mm




39-0550-06
密封圈, 粘合,
G1/8



39-0500-05
密封圈, 粘合,
G1/4



ILMV430042 REV C



ILMV307700 REV A

